

Tabl	le of
con	tent

The Joan	03
Facilities	07
Sustainability	10
_ocation	13
Surroundings	
Area development	16
Accessibility	
Availability	19
Testfits	
Technical description	29

Contact







The Joan is a typical case of big mouth and warm heart. For behind a sleek glass facade with sturdy steel crosses, a creative surrounding is hidden where it is very agreeable to be

Once inside you will also find a world upside down. Here, inside is outside and outside is inside. The presence of living vertical vegetation in various places makes you feel like you are in the open air. The feeling is emphasized by the transparent facades and glass and light-reflecting ceilings. The 'green lungs' also refresh the indoor atmosphere 24/7, so here you always breathe fresh and healthy air. Great for well-being and comfort.

# Sustainability

BREEAM - NL Excellent Well Platinum □ Energy label A ++++ □ 804 solar panels

## Green lungs

Vertical gardens on every floor □ Visible greenery in the entire building Plants are fed with collected rainwater



### Balconies

□ 4 balconies along the 4 facades Optimal indoor/ outdoor feeling



### Large floors

□ 2,600 sq. m. lettable floor area (lfa) Possibility for internal stairs □ Flexibility is key



### Smart

- High-quality installations
- □ Fiber optic connections
- Cable ducts incorporated
- in the floor



### Parking

- □ 246 parking spaces in the adjacent parking garage
- Charging stations for both car and bicycle/scooter
- Covered bicycle shed



### Own entrance

- □ Single tenant in multi
- tenant building
- □ Signage possibilities



### High-quality delivery level

Impressive entrance Public restaurant Climate ceiling class A Energy efficient LED lighting



### Creative

□ An inspiring environment Mix between creative and corporate



## Work, relax, join the community

Thousands of square meters where 'residents' can work, chill out and link up to their heart's content.

Covered **balconies** along all four facades have been arranged as a living room over the full length and width. Through French doors you will find cool hangouts where you can sit outside in comfort early in the year. Ideal for Friday afternoon drinks, but also for receiving visitors in a relaxed and chilled-out environment.

At the ground floor, The Joan gets into dialogue with her environment. Here she makes room for publicly-accessible hospitality, shops, showrooms and studios. And in the adjacent 'green' **parking garage** with a vegetated facade, there is room for 246 cars.

## Amsterdammers among each other



For the design of Amsterdam's The Joan, an Amsterdam architectural firm was engaged: OZ. The agency has a worldwide track record with more than 30 years of experience. When designing, OZ mainly focuses on sustainable and location-specific architecture and likes to look for intelligent design solutions. The aim is: people should feel at home in a building, whether they work or live there. OZ makes buildings with a strong identity that is sustainable for the users, the stakeholders and the environment in which they are located. The Joan is the finest example of this approach. Fundamental to all of OZ's work is its responsibility for social and environmental sustainability. To this end, this agency likes to work together with customers, users, contractors and other stakeholders. For the construction of The Joan, OZ worked together with Arcadis – one of the largest players in the field of sustainable design and technology. Together they developed an ingenious design to promote the health and well-being of 'the residents' of The Joan.





# **THEJOAN**





### Hospitality

During office hours, a hostess is always available to welcome your visitors. The hostess is also a barista and serves the best coffee.

Reception
Coffee bar / barista
Restaurant

### Restaurant Bream

You are welcome. For your most important meal of the day: breakfast. For an outstanding lunch, for drinks at the end of the day. For events, meetings or just a 'simple' cup of coffee.





## Multifunctional space

Next to the reception is the multifunctional space that is available to everyone. This space is ideal for:

- Presentations
- Informal meetings
- Conferences
- Dinners
- Celebrating anniversary etc.
- Townhalls
- Events
- Product launch





### Mobility plan

The Joan provides an extensive mobility plan. Electric bicycles are available and many parking spaces are equipped with a charging station

- Charging stations
- Electric bicycles
- Many public transport
- options in the immediate vicinity



### Community

At the ground floor, The Joan opens up to its surroundings. The publicly accessible restaurant and terrace offers the possibility of a delicious breakfast, lunch or dinner.

Event spaceTerrace



## **THEJOAN**

The gradient of the indoor of

## **THE JOAN**





## The green lungs of The Joan

Are you consciously working on sustainability in your organization? The Joan doesn't like work half-done. As such she wanted to achieve optimal performance in the fields of sustainability and well-being.

BREEAM is an assessment method that is used to determine and compare the sustainability performance of buildings. The Joan applied for a BREEAM-NL Excellent certificate and achieved a score of no less than 83,17 percent. For health and wellness, The Joan achieved the highest WELL standard: Platinum.

- Use of green energy by solar panels and Heat Cold Storage source
- Use of sustainable materials, including sustainably-produced wood
- Waste separation and recycling
- Monitoring and control of water/ electricity consumption during the construction process
- Monitoring of the amount of  $CO_2$  emissions
- All work on the construction site took place within the ecological work protoco





## **THE JOAN**





### WERKSTAD OVERAMSTEL Explorer and promoter

Located in the traffic hub of the A2 and A10, The Joan is located in one of the most visible places in Amsterdam.

About 190,000 cars pass by here every day. And that makes her a real eye catcher along the highway. The Joan knows how to handle the attention because she likes nothing more than to be in the spotlight. With her cool exterior she pimps up the mono-functional business park Amstel Business Park Zuid.

In this transformation to a more mixed and lively area, where work in all its diversity, facilities and special forms of living come together, The Joan acts as a promoter. A recruiting hotspot that other companies like to join. And furthermore, as a sustainable example for future projects, it now heralds a new era. Just like her neighbors G-Star RAW and DPG Media, she gives this district more color.



#### Area development

This area is currently in full development and will continue in the future as Werkstad OverAmstel. Pioneer species, shrubs, tall grasses and wild flowers will give an unraked, wild and natural character to verges and embankments. The green structure of the city streets will have a more formal and raked character with clear, rhythmic planting. Inner areas will be transformed into an informal place to stay with grasses, wild flowers and trees. The viaducts function as entrance gates to the area. Special attention is paid to social safety. Transparency and lighting play an important role in this.





Ecological atmosphere with high green density.



Light art under the bridge as an entrance gate to the area.

### TRAVEL TIMES Accessibility

Amsterdam	<b>e</b>	Q
□ Amstel Station	6 min.	11 min.
🗆 Rai Station	8 min.	4 min.
□ Zuid Station	11 min.	5 min.
Central Station	14 min.	15 min.
Schiphol Airport	16 min.	13 min.

#### Utrecht

Central Station	25 min.	40 min.
The Hague		
Central Station	40 min.	60 min.
Rotterdam		$\times$
Central Station	60 min.	90 min.





## **THEJOAN**

Located in one of the most visible places in Amsterdam.





# Exceptionally spacious

The floor areas are exceptionally generous. Thousands of square meters where 'residents' can work, chill out and link up to their heart's content.

Under the high ceilings, imagination and creativity are given free rein. And in all directions you look out over endless vistas that expand and inspire the mind. And all of this close to one of the most dynamic and striking junctions in Amsterdam: the A2/A10 intersection.



### <sup>24,087 SQ. M.</sup> Floor plans

8 <sup>™</sup> FLOOR	Rented	
7 <sup>™</sup> FLOOR	2,765 sq. m. LFA	
6 <sup>™</sup> FLOOR	2,508 sq. m. LFA	
5 <sup>™</sup> FLOOR	2,766 sq. m. LFA	
4 <sup>™</sup> FLOOR	2,765 sq. m. LFA	
3 <sup>RD</sup> FLOOR	Rented	
2 <sup>ND</sup> FLOOR	2,774 sq. m. LFA	
1 <sup>st</sup> FLOOR	2,771 sq. m. LFA	
GROUND FLOOR	322 sq. m. LFA	

**THEJOAN** 



### Ground floor

322 SQ.M. LFA













2<sup>nd</sup> floor

2,774 SQ.M. LFA





# **THEJOAN**



## 3<sup>rd</sup> floor





### $4^{\text{th}}$ floor

2,765 SQ.M. LFA





## **THE JOAN**



## 5<sup>th</sup> floor

2,766 SQ.M. LFA





6<sup>th</sup> floor

2,508 SQ.M. LFA





# **THEJOAN**



### 7<sup>th</sup> floor 2,765 sq.m. lfa





### $8^{\text{th}}$ floor





## **THE JOAN**

## Testfits

### Creative setup

Workstations	130
Flex workstations	95
Focusrooms	9
Auditorium	1
Soft seating	90
Meetingrooms	15



### Open workplace

Workstations	150
Flex workstations	160
Focusrooms	15
Auditorium	1
Soft seating	82
Meetingrooms	13



### Multi tenant

Workstations	70	
Flex workstations	12	
Focusrooms	6	
Soft seating	100	
Meetingrooms	8	
Workstations	90	
Focusrooms	8	
Soft seating	100	
Meetingrooms	8	



### Maximum capacity

Workstations	260	
Flex workstations	12	
Focusrooms	13	
Auditorium	1	
Soft seating	180	
Meetingrooms	13	



### **Parking Facilities**

Type of parking facility	Parkin
Number of parking levels	4, of w
	for vis
Parking regulation	Barrie
Parking ratio	1:100
Parking spaces	246
Charging points (cars)	30 (15
Charging points (bicycle)	16
Bicycle parking	200 m
	access
Number of places scooter/motorbike	40
Number of elevators	1

### General

Technical

description

Property	The Joan
Address	Joan Muyskenweg 30-32, Amsterdam
Start construction	Third quarter 2020
Planned delivery	Second quarter 2022
Delivery level ground floor	Installations in sight, fan coil units to ensure the internal climate
Delivery level 1 <sup>st</sup> until 8 <sup>th</sup> floor	'Shell Plus'; including screeds, horizontal installations climate ceilings

### Sizes & Capacity

GFA (Gross Floor Area)	26.800 m <sup>2</sup>
LFA (Lettable Floor Area)	24.078 m <sup>2</sup>
Number of floors	Ground floor + 8 floors
Underground	
Ground floor	358 persons
1 <sup>st</sup> – 8 <sup>th</sup> floor	250 persons per floor

#### **Public Transport**

Nearest metro station	Amst
Distance to metro station	600 r
Nearest train station	Amst
Distance to train station	1,5 ki
Train connection type	Inter

#### Access & transport installation

Type access			Sliding
Number of ent	rances		3 of w
Disabled acce	ss		Possib
Staircases			3
Elevators			2 eleve
			Destin
Elevators			Otis G
Façade mainte	enance in	stallatior	n By car

ng garage above ground ('The Joan II')

- which the ground floor is exclusively
- sitors to Bouwmaat (adjacent)
- er and intercom

5 doubles)

<sup>12</sup> in enclosed space for bicycle parking, sible with card reader

terdam Overamstel metre terdam Duivendrecht m

ity, sprinter

ng doors vhich 1 general entrance ole through all entrances

rators per core (3 cores), 6 in total, 2 fire elevators present. nation control present on the ground floor (Otis OneCall).

GeN2 – 1600 kg – 1,6 m/sec

r/gondola on a rail track on the high roof

#### Architectural

#### General

Floor height ground floor	5.100 mm (up to architectural ceiling)
Floor height 1 <sup>st</sup> – 8 <sup>th</sup> floor	2.700 mm
Façade grid	3.600 mm
Ceiling grid	1.800 mm

#### Structural

Type of foundation	Pile foundation	
Main supporting structure	Concrete-/steel construction	Smart energy meters
Floor load ground floor	400 kg/m²	
Floor load 1 <sup>st</sup> – 8 <sup>th</sup> floor	400 kg/m²	Smart water meters

#### Façades

Type of facade finish	Aluminum fronts and decorative concrete facade elements on the ground floor. From the first floor a curtain wall with mainly glass.
Transparent facade parts	G-factor ≤ 0,30 LTA ≥ 0,50 U-value glass = 1,00 W/m².K U-value glass/frame = 1,40 W/m².K
Percentage window area	90%
Windows to open	No, except for the floors with outdoor space
Non-transparent facade parts	Façades R <sub>c</sub> ≥ 4,50 m <sup>2</sup> .K/W Floors above outside air/crawl space ≥ 6,00 m <sup>2</sup> .K/W Interior walls ≤ 2,00 m <sup>2</sup> .K/W

#### Finishes

Ground floor	Concrete
Floors 1 <sup>st</sup> – 8 <sup>th</sup>	Anhydrite
Sanitary	High-end
Type roof	Flat roof with greenery
Solar panels	804 solar panels of 360 Wp each Roofs R <sub>c</sub> ≥ 6,00 m².K/W

#### Energy & Sustainability

nergy label	A ++++
inergy-index (EPC)	Yet to kWh/r
BREEAM	NL Exc
VELL	Platinu
ype energy	Heat p Storag
imart electricity meters	Digita (1 dist
mart energy meters	Heat c becau
mart water meters	Smart
Power supply/provision	Open f floors,
avings provisions	Heat r variab on CO
mergency Power Supplies	Not pr and se
Overtime timers	Yes, ac
andscaping, plants	Presen
Grey water system	Re-use the gre

#### Lighting

Type lig	hting			LED
Office li	ghting lev	vels		500 lux
Stairwe	ll lighting			Energy autom
Circuit				Autom via ligh
Dayligh	t depend	ent conti	rol	Presen
Motion	detection			Presen
Smart e	energy me	eters		Yes, sm per dis
Emerge	ncy powe	er supplie	es	No

be determined (new standard; NTA) to be expressed in

- :ellent
- oumps in combination with ATES (Aquifer Thermal Energy
- I kWh-meters at group level per distribution box ribution box per core/per floor)
- and cold meters per floor, excluding submeters use of splitting floor areas (fitout and such)
- meters per floor
- floor gutter system in the screed (Legrand Soluflex) on the , one cable entry tile per 1.8 meters for workplace access.
- ecovery (heat wheel) in the air handling units, le volume controlled (VAV) based on presence, temperature, , in meeting rooms. Heat recovery in the shower drains.
- resent for electricity, present for fire safety installations ecurity installations
- djustable
- t on all floors: 'green lungs'
- e of rainwater for flushing toilets, urinals and watering een areas ('green lungs') in the building.

- y-efficient LED lighting, atic switching back to 30% lighting level when absent
- atic (presence detection), t management system (DALI2)
- (on façade zone)
- nart digital kWh-meters at group level stribution box (per floor)

#### Climate

General		Fire safery installations	Ce
Climate class Ground	Climate class B		and
Floor Climate class 1 <sup>st</sup> – 8 <sup>th</sup> Floor	Climate class A	Fire extinguishing equipment	Sp
Ventilation type	Mechanical ventilation through climate ceiling	Dry extinguisher riser	Pre
Level control	Per floor, per modular width (3,600 mm grid)	Access control	Pre
Central installation	ATES (Aquifer Thermal Energy Storage)	Security	Ce wit
Cooling/heating control	Central and decentral	Fibre ontic connection	Sin
Gas connection	No (gasless building)		and

#### Ventilation

Air exchange office space (per m²)	50 m³/h/p.p. (based on 1 person per 10 m² LFA)	Energy & Sustainability	
Air exchange meeting rooms (per m²)	45 m³/h/p.p. (based on 10% of floor area)	Container space	Grour
Maximum CO₂	400 ppm higher than ambient air	Leasing	Basec
Humidity	Central steam humidification on the Air Handling Units of the offices	Catering	Grour
Flexibility	Based on a 3,600 mm grid		

#### AC

Delivery	Through climate ceiling
Cooling control type Internal heat load (office) Divisibility	Per floor, per grid, high temperature cooling: 11-18 °C 28 W per m²
Cooling MER/SER	Per grid (3,600 mm)

#### Heating

Delivery	Through climate ceiling
Heating control type	Low temperature heating: 45-35 °C
Divisibility	Per grid (3,600 mm)

### Safety

re safety installations	Certifi and sp
re extinguishing equipment	Sprink
ry extinguisher riser	Presen
ccess control	Presen
ecurity	Centro with m
bre optic connection	Single and U

Container space	Groun
Leasing	Based
Catering	Groun

- fied fire alarm system, evacuation alarm system prinkler system (100% sprinkled)
- kler installation, fire hose reels available on the floors
- nt in the 3 cores, connection point per floor at each core
- nt, via intercom and card reader
- al Camera System (10 cameras around the building | motion detection)
- e 10 Gbp/s max connection, provider Eurofiber Jniscape, see brochure and SLA for the possibilities

nd floor with 5 waste streams on green lease (based on BREEAM Excellent) nd floor/t.b.d.



## **THE JOAN**

### Get in touch





Juul Klumpes +31 (0)6 297 359 88 j.klumpes@nlrealestate.nl

Laura Hovestad +31 (0)6 319 695 39 I.hovestad@nlrealestate.nl Daphne Pronk +31 (0)6 129 692 54 daphne.pronk@jll.com

Frederique Ensink +31 (0)6 200 610 41 frederique.ensink@jll.com Yanti Rabelink +31(0)6 55 39 68 33 yanti@drs.eu

+31(0)6 53 99 99 65

<u>thomas@drs.eu</u>

Thomas van der Heijden

DRS

### THE JOAN

Visiting Address Joan Muyskenweg 28-32 1114 AN Amsterdam A project of









### THE JOAN

